EAST SEARCH	CH HISTORY		
HITS	QUERY	DATABASE	
184501	184501 ((object or person or subject or individual or motion) near3 (detect\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	
	20957 ((object or person or subject or individual or motion) near3 (detect\$5)) and (382.clas. or 348.clas. or 340.clas.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	
641255	641259 ((((mulitple or many or several or sequence or series or plurality) near3 (image or frame) same (time or temporal) or video)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	
9064	9064 (((((mulitple or many or several or sequence or series or plurality) near3 (image or frame)) same (time or temporal)) or video)) and (((object or person or subject or individual or motion) near3 (detect\$5)) and (382.clas. or 348.clas. or 340.clas.))	USPAT: US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	
53908	53908 ((((mulitple or many or several USPAT; US-PGPUB; or sequence or series or EPO; JPO; DERWEN plurality) near3 (image or frame)) same (time or temporal))	USPAT, US-PGPUB; EPO, JPO; DERWENT; IBM_TDB	
10511	10511 ((((mulitple or many or several USPAT; US-PGPUB; or sequence or series or PPO; JPO; DERWEN plurality) near3 (image or frame)) same (time or temporal))) same (object or person or subject or individual)	USPAT, US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	

Ţ

went;	PUB;
USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	USPAT, US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
ed ed Ep	ed 6d EP C 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3
((((mulitple or many or several USPAT; US-PGPUB; or sequence or series or plurality) near3 (image or frame)) same (time or temporal))) same (time or temporal))) same (time or temporal))) same (compar\$6 or match\$6 or register\$6 or registration) with (stored or registration) with (stored or registration) or previous or prior or recent\$3 or archiv\$6 or template or known))	109 ((((mulitple or many or several US or sequence or series or plurality) near3 (image or frame)) same (time or temporal))) same (bject or person or subject or individual) same ((compar\$6 or match\$6 or register\$6 or registration) with (stored or registred or database or data?base or filed or recorded or previous or prior or recent\$3 or archiv\$6 or recent\$3 or archiv\$6 or template or known)) and (((object or person or subject or individual or motion) near3 (detect\$5)) and (382.clas. or 348.clas. or 340.clas.))
25.3.	109

,

-

several or sequence or series or plurality) near3 (inage or tramel) same (time or temporal)) same (object or person or subject or individual) same (compar\$6 or match\$6 or register\$6 or registration) with (stored or registration) with (stored or registration) with (stored or registration) and data?base or filed or recorded or previous or prior or recent\$3 or archiv\$6 or template or known)) and (((object or person or subject or individual or motion) near3 (detect\$5)) and (382.clas. or 348.clas. or 340.clas.))) and @ad<20001013))))) 95	56 ((((mulitple or many or	USPAT; US-PGPUB;				
or plurality) near3 (image or IBM_TDB frame) same (time or temporal)) same (time or temporal)) same (object or person or subject or person or subject or individual) same ((compar\$6 or match\$6 or registeration) with (stored or registeration) with (stored or registeration) with (stored or registeration) and (ata?base or filed or recorded or previous or prior or recent\$3 or archiv\$6 or template or known)) and (((object or person or subject or individual or motion) near\$1 (detect\$5)) and (382.clas. or 340.clas.))) and (@ad<20001013)	sev	eral or sequence or series	EPO; JPO; DERWENT;			 	
frame)) same (time or temporal))) same (bject or person or subject or person or subject or individual) same ((compar\$6 or register\$6 or register\$6 or register\$6 or register\$6 or registeration) with (stored or registerad or database or data ?base or filed or recorded or previous or prior or recent\$3 or archiv\$6 or template or known)) and ((fobject or person or subject or individual or motion) near3 (detect\$5) and (382.clas. or 340.clas.))) and @ad<20001013	or p	furality) near3 (image or	IBM_TDB				
temporal))) same (object or person or subject or individual) same ((compar\$6 or match\$6 or register\$6 or register\$6 or registered or database or fled or prior or recent\$3 or archiv\$6 or recent\$3 or archiv\$6 or template or knotion) and (((object or person or subject or individual or motion) near3 ((detect\$5)) and (382.clas. or 348.clas. or 340.clas.))) and (@ad<20001013	fran	ne)) same (time or					
person or subject or individual) same ((compar\$6 or match\$6 or register\$6 or register\$6 or register\$6 or registerd or database or database or fled or recorded or prior or recent\$3 or archiv\$6 or template or known) and (((object or person or subject or individual or motion) near3 ((detect\$5)) and (382.clas. or 348.clas. or 340.clas.))) and @ad<20001013	tem	poral))) same (object or					
individual) same ((compar\$6 or match\$6 or register\$6 or registration) with (stored or registered or database or data?base or filed or recorded or previous or prior or recent\$3 or archiv\$6 or template or known)) and (((object or person or subject or individual or motion) near3 (detect\$5)) and (382.clas. or 348.clas. or 340.clas.))) and @ad<20001013	per	son or subject or					_
or match\$6 or register\$6 or register\$6 or registration) with (stored or registration) with (stored or registered or database or database or data?base or filed or recorded or previous or prior or recent\$3 or archiv\$6 or template or known)) and (((object or person or subject or individual or motion) near3 (detect\$5)) and (382.clas. or 340.clas. or 340.clas.))) and @ad<20001013	įpui	vidual) same ((compar\$6				 	
registration) with (stored or registered or database or database or database or database or data?base or filed or recorded or previous or prior or recent\$3 or archiv\$6 or template or known)) and (((object or person or subject or individual or motion) near3 (detect\$5)) and (382.clas. or 340.clas.))) and (@ad<20001013	0.0	natch\$6 or register\$6 or					
registered or database or database or database or filed or recorded or previous or prior or recent\$3 or archiv\$6 or template or known)) and (((object or person or subject or individual or motion) near3 (detect\$5)) and (382.clas. or 340.clas.))) and @ad<20001013	regi	stration) with (stored or					
data?base or filed or recorded or previous or prior or recent\$3 or archiv\$6 or template or known)) and (((object or person or subject or individual or motion) near3 (detect\$5)) and (382.clas. or 348.clas. or 340.clas.)) and @ad<20001013	regi	stered or database or					
or previous or prior or recent\$3 or archiv\$6 or template or known)) and (((object or person or subject or individual or motion) near3 (detect\$5)) and (382.clas. or 348.clas. or 340.clas.))) and @ad<20001013	data	3?base or filed or recorded					
recent\$3 or archiv\$6 or template or known)) and (((object or person or subject or individual or motion) near3 (detect\$5)) and (382.clas. or 348.clas. or 340.clas.))) and @ad<20001013	or p	revious or prior or					
template or known)) and (((object or person or subject or individual or motion) near3 (detect\$5)) and (382.clas. or 348.clas. or 340.clas.))) and @ad<20001013	<u>s</u>	ent\$3 or archiv\$6 or					
(((object or person or subject or individual or motion) near3 (detect\$5)) and (382.clas. or 348.clas. or 340.clas.))) and @ad<20001013	tem	plate or known)) and					
or individual or motion) near3 (detect\$5)) and (382.clas. or 348.clas. or 340.clas.))) and @ad<20001013	<u>((o)</u>	bject or person or subject					
(detect\$5)) and (382.clas. or 348.clas.))) and @ad<20001013	or ir	ndividual or motion) near3				 	
348.clas. or 340.clas.))) and @ad<20001013	(det	ect\$5)) and (382.clas. or					
@ad<20001013	348	.clas. or 340.clas.))) and					_
	(B)	d<20001013		•			
		n- 94-					

,

	·	•
WENT;	VENT;	
USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	US-PGP O: DERN B	
	USPAT;	
(((((mulitple or many or several or sequence or series or plurality) near3 (image or frame)) same (time or temporal))) same (object or person or subject or individua or face or faciall) same ((compar\$6 or match\$6 or register\$6 or registered or database or data?base or filed or recorded or previous or prior or recent\$3 or archiv\$6 or template or known)) and (((object or person or subject or individual or motion or face or facial) near3 (detect\$5)) and (382.clas. or 348.clas. or 340.clas.))) and	((start\$6 or begin\$6 or initat\$6 USPAT; US-PGPUB; or commenc\$6) with (captur\$6 EPO; JPO; DERWENT; or acqui\$8 or obtain\$6 or take IBM_TDB or taking or get or getting) with (object or person or subject or individual or user or customer) with (detected or located or entered or entered or entered or entered or enter or determines or present or found)) and (382.clas. or 348.clas. or 340.clas.) and @ad<20001013	
s or many or sequence or serie near3 (image or ne (time or same (object or subject or individu aciall) same or registration) wi egistered or or registration) wi egistered or or registration) wi egistered or or registration) wi egistered or or registration or for previous or ent\$3 or archiv\$6 or known)) and person or subjec all or motion or fac ear3 (detect\$5)) as. or 348.clas. o and	begin\$6 or initat\$6 c\$6) with (captur\$6 or obtain\$6 or take get or getting) with erson or subject or r user or customer) ed or located or or entered or or entered or or entered or or found)) and r 348.clas. or ind	
several or many or several or sequence or series or plurality) near3 (image or frame)) same (time or temporal))) same (object or person or subject or individua or face or faciall) same ((compar\$6 or match\$6 or register\$6 or registered or database or data?base or fled or recorded or prior or recent\$3 or archiv\$6 or template or known)) and (((object or person or subject or individual or motion or face or facial) near3 (detect\$5)) and (382.clas. or 348.clas. or 340.clas.))) and @ad<20001013	((start\$6 or begin\$6 or initat\$6 or commenc\$6) with (captur\$6 or acqui\$8 or obtain\$6 or take or taking or get or getting) with (object or person or subject or individual or user or customer) with (detected or located or determined or enters or enter or determines or present or found)) and (382.clas. or 348.clas. or 340.clas.) and (382.clas.) and (382.clas.) and (382.clas.) and (382.clas.)	
ST ((((()))) Seve or plant fram fram fram fram fram fram fram or fa or fa data or re prior or te or fa and ((())) SAO. (())	or commen or acquiss or or taking or (object or p individual o. with (detect determined enters or er or present c (382.clas. o 340.clas.) a @ad<2000	

,	
144 ((start\$6 or begin\$6 or initat\$6 USPAT; US-PGPUB; or commenc\$6) with (captur\$6 EPO; JPO; DERWENT; or acqui\$8 or obtain\$6 or take IBM_TDB or taking or get or getting) with (object or person or subject or individual or user or customer) with (detected or located or entered or enters or enter or determines or present or found)) and (382.clas. or 348.clas. or 340.clas.) and @ad<20001013	((record\$6 or begin\$6 or initat\$6 USPAT, US-PGPUB; or commenc\$6) with (video or ((record\$6 or captur\$6 or acqui\$8 or obtain\$6 or take or taking or get or getting) near5 (image or picture or frame))) with (object or person or subject or individual or user or customer) with (detected or located or determined or enters or found)) and (382.clas. or 348.clas. or 340.clas.) and @ad<20001013
or commenc\$6) with (captur\$6 EPO; JPO; DERWEN or acqui\$8 or obtain\$6 or take or taking or get or getting) with (object or person or subject or individual or user or customer) with (detected or located or determined or entered or enters or enter or determines or present or found)) and (382.clas. or 340.clas.) and @ad<20001013	132 ((start\$6 or begin\$6 or initat\$6 USPAT; US-PGPUB; or commenc\$6) with (video or ((record\$6 or captur\$6 or acqui\$8 or obtain\$6 or take or taking or get or getting) near5 (image or picture or frame))) with (object or individual or user or customer) with (detected or customer) with (detected or located or determines or present or determines or present or found)) and (382.clas. or 340.clas.) and @ad<20001013

GRWENT;	
Several or sequence or series several or sequence or series or plurality) near3 (image or frame)) same (time or temporal)) same (time or temporal)) same (object or person or subject or individual) same ((compar\$6 or registered or database or registered or database or data?base or filed or recorded or previous or prior or recent\$3 or archiv\$6 or template or known)) and (((object or person or subject or individual or motion) near3 ((detect\$5)) and (382.clas. or 348.clas. or 340.clas.))) and @ad<20001013	
6 ((((mulitple or many c several or sequence c or plurality) near3 (im: frame)) same (time or temporal))) same (obj person or subject or individual) same ((con or match\$6 or register registeration) with (stor registered or databask data?base or filed or r or previous or prior or recent\$3 or archiv\$6 c template or known)) a (((object or person or or or individual or motion (detect\$5)) and (382.c 348.clas. or 340.clas.) @ad<20001013	
ភ	

		·
Ė	<u> </u>	
ب Z	17	
E E E	le de	
PGPUB	GPUB	
J. DERWEI	IS-PGPUB; ; DERWEN	
T. US-PGPUB	T; US-PGPUB; JPO; DERWEN 'DB	
SPAT; US-PGPUB PO; JPO; DERWEI	3PAT; US-PGPUB; 10; JPO; DERWEN M_TDB	
USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	
	USPAT; US-PGPUB EPO; JPO; DERWER IBM_TDB	
ng or nage or (object (object stomer) or and or or mines or dor or the or the or the or or or or or or corded the or	USPAT; US-PGPUB EPO; JPO; DERWEN IBM_TDB	
ng or nage or (object (object stomer) or and or or mines or dor or the or the or the or or or or or or corded the or	USPAT; US-PGPUB EPO; JPO; DERWER IBM_TDB	
ng or nage or (object (object stomer) or and or or mines or dor or the or the or the or or or or or or corded the or		·
ng or nage or (object (object stomer) or and or or mines or dor or the or the or the or or or or or or corded the or		
ng or nage or (object (object stomer) or and or or mines or dor or the or the or the or or or or or or corded the or		
ng or nage or (object (object stomer) or and or or mines or dor or the or the or the or or or or or or corded the or		
ng or nage or (object (object stomer) or and or or mines or dor or the or the or the or or or or or or corded the or		
	2 20030035577.pn. USPAT; US-PGPUB EPO; JPO; DERWER IBM_TDB	
ng or nage or (object (object stomer) or and or or mines or dor or the or the or the or or or or or or corded the or		
ng or nage or (object (object stomer) or and or or mines or dor or the or the or the or		
ng or nage or (object (object stomer) or and or or mines or dor or the or the or the or		
ng or rage or (object (object stomer) or series or the or		

	·	
USPAT, US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	
132 ((start\$6 or begin\$6 or initat\$6 USPAT; US-PGPUB; or commenc\$6) with (video or EPO; JPO; DERWEN ((record\$6 or captur\$6 or acqui\$8 or obtain\$6 or take or taking or get or getting) near5 (image or picture or frame))) with (object or person or subject or individual or user or customer) with (detected or located or determined or enter or entered or enters or enter or determines or present or found)) and (382.clas. or 340.clas.) and @ad<20001013	(((((mulitple or many or several or sequence or series El or plurality) near3 (image or frame)) same (time or temporal)) same (time or person or subject or individua or face or faciall) same ((compar\$6 or match\$6 or register\$6 or match\$6 or register\$6 or registerd or recorded or registered or or recorded or previous or prior or recent\$3 or archiv\$6 or template or known) and (((object or person or subject or individual or motion or face or facial) near3 (detect\$5)) and (((object or person or subject or facial) near3 (detect\$5)) and (@ad<20001013)	
132	55	

.

	,																							•			•					
																																
	<u> </u>																														 	
						•		••••								-																
																								_								
Ë				-,																												
USPAT; US-PGPUB; EPO; JPO; DERWENT;	IBM_TDB																	:											•			
r) with	(video or ((record\$6 or	obtain\$6 or take or taking or	get or getting) near5 (image or	or person or subject or	individual or user or customer)	with (detected or located or	determined or entered or	enters or enter or determines	or present or found)) and	(382.clas. or 348.clas. or	340.clas.) and	@ad<20001013) and	(((((mulitple or many or	several or sequence or series	or plurality) near3 (image or	frame)) same (time or	temporal))) same (object or	person or subject or individua	or face or faciall) same	Solution of matches of	registerate or registration) with	database or data?base or filed	or recorded or previous or	prior or recent\$3 or archiv\$6	or template or known)) and	(((object or person or subject	or individual or motion or face	or facial) near3 (detect\$5))	and (382.clas. or 348.clas. or	340.clas.))) and @ad<20001013)	(2000)	
1 (ini	<u> </u>	8 8	ge	<u>ā</u> 6	inc	wil	<u>ф</u>	eu	ю	<u>හ</u>	¥.	0	<u></u>	Se	<u>o</u>	fra	<u>ē</u>	<u>e</u>	<u>o</u>	ع د	Đ Đ	, re	10	Ĭď	6	<u>)))</u>	O.	10	ב ל	¥ 6	Ď	

USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	·
initat\$6 or begin\$6 or initat\$6 or commenc\$6 or trigger\$6) with (video or ((record\$6 or captur\$6 or acqui\$8 or obtain\$6 or take or taking or get or getting) near\$5 (image or picture or frame))) with (object or person or subject or individual or user or customer) with (detected or located or determined or entered or enters or enter or determines or present or found)) and (382.clas. or 348.clas. or 340.clas.) and (@ad<20001013.) and (382.clas. or several or sequence or series or plurality) near3 (image or frame)) same (time or temporal))) same (object or person or subject or individua or face or faciall) same	((compar\$6 or match\$6 or register\$6 or registeration) with (stored or registered or database or data?base or filed or recorded or previous or prior or recent\$3 or archiv\$6 or template or known)) and (((object or person or subject or individual or motion or face or facial) near3 (detect\$5)) and (382.clas. or 340.clas.))) and @ad<20001013)

	•
·	
	H H H H H H H H H H
D d s	MAS AMI
E E	OF G
S O B	S O B
E E E	TA
or commenc\$6 or initat\$6 USPAT: US-PGPUB: or commenc\$6 or trigger\$4) EPO: JPO: DERWENT; with (video or ((record\$6 or captur\$6 or acqui\$8 or obtain\$6 or take or taking or get or getting) near5 (image or picture or frame))) with (object or person or subject or individual or user or customer) with (detected or located or determined or entered or enters or enter or determines or present or found)) and (382.clas. or 348.clas. or 340.clas.) and @ad<20001013	USPAT, US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
s er c	
((start\$6 or begin\$6 or initat\$6 or commenc\$6 or trigger\$4) with (video or ((record\$6 or captur\$6 or acqui\$8 or obtain\$6 or take or taking or get or getting) near5 (image or picture or frame))) with (object or person or subject or individual or user or customer) with (detected or located or determined or entered or enters or enter or determines or present or found)) and (382.clas. or 348.clas. or 340.clas.) and @ad<20001013	(((((mulitple or many or several or sequence or series or plurality) near3 (image or frame)) same (time or temporal))) same (bine or person or subject or individua or face or facial) same ((compar\$6 or match\$6 or register\$6 or registered or register\$6 or registered or recorded or previous or prior or recent\$3 or archiv\$6 or template or known) and (((object or person or subject or individual or motion or face or facial) near3 (detect\$5 or frack\$5)) and (382.clas. or 348.clas. or 340.clas.))) and @ad<2001013
((start\$6 or begin\$6 or inita or commenc\$6 or trigger\$4 with (video or ((record\$6 or captur\$6 or acqui\$8 or obtain\$6 or take or taking oget or getting) near5 (imag picture or frame))) with (obj or person or subject or individual or user or custorr with (detected or located or determined or entere or enters or enter or determine or present or found)) and (382.clas. or 348.clas. or 340.clas.) and @ad<20001013	(((((mulitple or many or several or sequence or serie or plurality) near3 (image or frame)) same (time or temporal))) same (object or person or subject or individuor face or faciall) same ((compar\$6 or registration) will stored or registered or registered or registered or registered or registered or recorded or previous or prior or recent\$3 or archiv\$6 or template or known)) and (((object or person or subject or famplate or known)) and (((object or person or subject or famplate or known)) and (((object or person or subject or famplate)) near3 (detect\$5 or fack\$5)) and (382.clas. or 348.clas. or 340.clas.))) and @ad<2001013
(\$6 : 1 tring (\$	any noce or a soun or
((start\$6 or begin\$6 or or commenc\$6 or trigg with (video or ((record\$6 or begin\$8 or obtain\$6 or acqui\$8 or obtain\$6 or take or takiget or getting) near5 (ir picture or frame))) with or person or subject or individual or user or cu individual or user or cu with (detected or locate determined or entered determined or entered or present or found)) ar or present or found)) ar (382.clas. or 348.clas. a340.clas.) and	(((((mulitple or many or several or sequence or or plurality) near3 (imag frame)) same (time or temporal))) same (object or sacial) same (object or face or faciall) same (of face or faciall) same (((compar\$6 or registration)) con template or registered or recorded or previous prior or recent\$3 or arclor or template or known)) ((((object or person or such facial) near3 (detect) frack\$5)) and (382.clas.) 348.clas. or 340.clas.))
((start\$6 or begi or commenc\$6 with (video or (() captur\$6 or acq obtain\$6 or take get or getting) in picture or frame or person or sub individual or use with (detected o determined or e enters or enter or or present or for or present or for (382.clas. or 34(340.clas.) and @ad<20001013	mulitple or n aral or seque lurality) nean e(s) same (tit boral)) same on or subject on or faciall mpar\$6 or reg ster\$6 or reg ster\$6 or reg or or regist ed or regist or recent\$5: or recent\$5: or or press mplate or k (s) and (3) cial) near3 (45) and (3)
### white wide wide wide wide wide with the	ulitpulitpulitpulitpulitpulitpulitpulitp
the (correction) that (correct	((mine) plumble plumbl
5 ((stator) or	((((mulitple or many or several or sequence or or plurality) near3 (imaginame)) same (time or temporal))) same (objection)) same (objection)) same (objection)) same (objection)) same (objection) same (or face or faciall) same ((compar\$6 or registration) (stored or registration) (stored or registration) (stored or registration) or factabase or recorded or previous prior or recent\$3 or arc or template or known)) (((object or person or soor individual or motion or facial) near3 (detect\$track\$5)) and (382 class) 348 clas. or 340.clas.))) @ad<20001013
<u>6</u>	ď

	·

	·
LL SN	
USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	
	get or getting) near5 (image or picture or frame))) with (object or person or subject or individual or user or customer) with (detected or located or determined or enter or determines or present or found)) and (382.clas. or 348.clas. or 340.clas.) and ((((((mulitple or many or several or sequence or series or plurality) near3 (image or frame)) same (time or temporal))) same (object or person or subject or individua or face or faciall) same ((compar\$6 or registration) with (stored or registration) with (stored or registration) with (stored or registration) and (((object or person or subject or template or known)) and (((object or person or subject or individual or motion or face or facial) near3 (detect\$5 or track\$5)) and (382.clas. or 348.clas. or 340.clas.))) and @ad<20001013)
,	

74 ((stop\$	66 or end\$6 or ceas\$6	USPAT; US-PGPUB;			
or hatt\$	66 or desist\$6 or	EPO; JPO; DERWENT;			
discont	in\$8 or paus\$6 or	IBM_TDB			-
deactiv	\$6) with (video or				
track\$5	or ((record\$6 or				
captur\$	6 or acqui\$8 or				
optain\$	6 or take or taking or				
get or g	jetting) near5 (image or				
picture	or frame))) with				9
(opject	or person or subject or				
individu	laf or user or customer)	•			
))) with ((((press\$4 or push\$6)				
near3 (l	button or switch)) or				
deactiv	\$8 or "when")) and				
(382.ck	as. or 348.clas. or				
340.cla	s.) and		-		
@ad<2	0001013	@ad<20001013			

																																			-			
USPAT; US-PGPUB;	IBM TDB		- 14		-																		-															
(((start\$6 or begin\$6 or	trigger\$4) with (video or	track\$5 or ((record\$6 or	captur\$6 or acqui\$8 or	obtain\$6 or take or taking or	get or getting) near5 (image or	picture or frame))) with (object	or person or subject or	individual or user or customer)	with (detected or located or	determined or entered or	enters or enter or determines	or present or found)) and	(382.clas. or 348.clas. or	340.clas.) and	@ad<20001013) and	(((((mulitple or many or	several or sequence or series	or plurality) near3 (image or	frame)) same (time or	temporal))) same (object or	person or subject or individua	or face or faciall) same	((compar\$6 or match\$6 or	register\$6 or registration) with	(stored or registered or	database or data?base or filed	or recorded or previous or	prior or recent\$3 or archiv\$6	or template or known)) and	(((object or person or subject	or individual or motion or face	or facial) near3 (detect\$5 or	track\$5)) and (382.clas. or	348.clas. or 340.clas.))) and	@ad<20001013) and (((stop\$6 or end\$6 or ceas\$6 or	half\$6 or desist\$6 or discontin\$	
0																													-									

		
		,
	•	•
	VI - VIA - VIA - A	
	·	
÷		
PUB: WE, WE		
DER DER		
7. UPO PO BO 1. OBO		
USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB		
8 8 7 8 7 9 7 9 7 9 7 9 7 9 7 9 9 9 9 9	+ 8 5	عن م
(((((mulitple or many or several or sequence or series or plurality) near3 (image or frame)) same (time or temporal))) same (object or person or subject or individua or face or faciall) same ((compar\$6 or match\$6 or register\$6 or registered or database or data?base or flied or recorded or previous or prior or recent\$3 or archiv\$6	and ubjection factors	ng or nage nage tiome (\$6) or
(((((mulitple or many or several or sequence or serior plurality) near3 (image or frame)) same (time or temporal))) same (object or person or subject or individe or face or faciall) same ((compar\$6 or match\$6 or register\$6 or registered or database or data?base or fior recorded or previous or prior or recent\$3 or archiv\$6	wn)) or su or su tion or su tion or su tion or su class ass.))) and or cest or state or state or state or state or su or state or su con su co	deo o de o deo o deo o de o de o de o de o deo o de o d
or ma luenc sar3 (time (time (ject o ject o all) s all) s stere sistere istere star?	knovirson r most	h (vic acorc acorc acorc nean nean nean or sw or sw or sw or sw or sw or sw or sw
pple of registration of the control	or pe or pe ual o near o near o near o near o near o or 3-0010 or rence designation of \$8 or \$8	y with transcription of the control
mulification in the condition of the con	mpla ject divid cial) cial) (\$5)) clas. <200 <200 (6 or	tiv\$6 1.\$5 o 1.\$5 o 1.\$6 o 1.\$6 o 1.\$7 o 1.\$7 o 1.\$7 o 1.\$2 o 1.\$
O ((((((mulitple or many or several or sequence or series) or plurality) near3 (image or frame)) same (time or temporal))) same (time or temporal)) same (object or person or subject or individua or face or faciall) same ((compar\$6 or match\$6 or register\$6 or registration) with (stored or registered or database or data?base or filed or recorded or previous or prior or recent\$3 or archiv\$6	or template or known)) and (((object or person or subject or individual or motion or face or facial) near3 (detect\$5 or track\$5)) and (382.clas. or 348.clas. or 340.clas.))) and @ad<20001013) and ((stop\$6 or end\$6 or ceas\$6 or halt\$6 or desist\$6 or discontin\$8 or paus\$6 or	deactiv\$6) with (video or track\$5 or ((record\$6 or captur\$6 or acqui\$8 or obtain\$6 or take or taking or get or getting) near5 (image or picture or frame))) with (object or person or subject or individual or user or customer) with (((press\$4 or push\$6) near3 (button or switch)) or deactiv\$8 or "when")) and (382.clas. or 348.clas. or 340.clas.) and @ad<20001013)
0		

	2010	_			
initat\$6 or commenc\$6 or	FPO JPO DERWENT				
trigger\$4) with (video or	IBM TDB				
track\$5 or ((record\$6 or					
captur\$6 or acqui\$8 or					
obtain\$6 or take or taking or			-		
qet or getting) near5 (image or					
picture or frame))) with (object					
or person or subject or					
individual or user or customer)					
with (detected or located or					
determined or entered or					
enters or enter or determines					
or present or found)) and				-	
(382.clas. or 348.clas. or					
340.clas.) and					
@ad<20001013) and ((
(stop\$6 or end\$6 or ceas\$6 or					
halt\$6 or desist\$6 or					
discontin\$8 or paus\$6 or					
deactiv\$6) with (video or					
track\$5 or ((record\$6 or					
captur\$6 or acqui\$8 or					
obtain\$6 or take or taking or			-		
get or getting) near5 (image or					
picture or frame))) with					
(object or person or subject or					-
individual or user or customer)					
with (((press\$4 or push\$6)		-			
near3 (button or switch)) or					
deactiv\$8 or "when")) and					
(382.clas. or 348.clas. or					
340 clas) and					
@ad<20001013)		-			
		i-			

	_
USPAT, US-PGPUB; EPO, JPO; DERWENT; IBM_TDB	USPAT
20 ((stop\$6 or end\$6 or ceas\$6	(US-6584211-\$).did.
20	-

<u>.</u>	
USPAT, US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	
90; DE	
USPAT, US-PGPUB, EPO, JPO, DERWEN IBM_TDB	
2 ((((start\$6 or begin\$6 or initat\$6 or commenc\$6) with EF (video or ((record\$6 or captur\$6 or acqui\$8 or obtain\$6 or taking or get or getting) near5 (image or picture or frame))) with (object or person or subject or individual or user or customer) with (detected or located or determined or entered or enters or enter or determines or present or found)) and (382.clas. or 348.clas. or 340.clas.) and ((((((mulitple or many or several or sequence or series or plurality) near3 (image or frame)) same (time or temporal))) same (object or person or subject or individua or face or faciall) same (((compar\$6 or match\$6 or registration) with	or filed
1\$6 or enc\$6) \$6 or takin ar5 (im ar class. or cust located or cust located or determ d)) and class. or class. or class. or con any or noe or s (image or indisease or indisease or indisease or indisease atch\$6 or indisease or stration	red or Pbase c Svious c or archi own)) a
or begin comme comme (record (record ing) ne frame)) or subj or user cted or or 190r or 348. and or 348. and or 348. and or subj or near3 ne or four or 348. and or subject fraciall) same subject faciall) 6 or me	register or data' or data' or data' or data' or data' sent\$3 or or 348. or 348.) and or data' or 31013)
start\$6 or at\$6 or (\$\delta \cdot \c	abase or abase or
	(st. dat

,	·
`	
USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	USPAT, US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
6734 (identif\$8 or match\$6 or correlat\$8 or recogni\$8 or classif\$8 or register\$4 or registration or discrimina\$ or collat\$6) with (person or people or face or facial or individual or subject or object) with (image or frame or picture) and (382.clas. or 340.clas. or 348.clas.) and @ad<20001013	or commenc\$6 or initat\$6 USPAT; US-PGPUB; or commenc\$6 or trigger\$4) EPO; JPO; DERWEN with (video or track\$5 or acqui\$8 or obtain\$6 or take or taking or get or getting) near5 (image or picture or frame))) with (object or person or subject or individual or user or customer) with (detected or located or determined or enters or enter or determines or present or found)) and (382.clas. or 340.clas.) and @ad<20001013
8734	22

					, , , , , ,						
USPAT; US-PGPUB; EPO; JPO; DERWENT;	IBM_TDB										
((((mulitple or many or several or sequence or series	or plurality) near3 (image or frame)) same (time or	temporal))) same (object or person or subject or individua	or face or faciall) same ((compar\$6 or match\$6 or	(stored or registered or	or recorded or previous or	prior or recent\$3 or archiv\$6 or template or known)) and	(((object or person or subject or individual or motion or face	or facial) near3 (detect\$5 or	track\$5)) and (382.clas. or 348.clas. or 340.clas.))) and	@ad<20001013	
99		<u> </u>									

																								_			
		-														••••											
_																											
																								_		 	
USPAT; US-PGPUB; EPO; JPO; DERWENT;			•																								
쭚																											
S-P.																											
i o O	08																										
USPAT; US-PGPUB; EPO; JPO; DERWEN	IBM_TDB																										
				_	_		_														_						
			ō	ge o	bjec		me	ŏ		nes								ō			ject)			Б			
ત છુ	۵,	ō	king	(ima	<u>و</u>	⋋	usto	ted	ŏ	ermi	and	ō		פַ	ŏ	98 o	ŏ	ina\$	ō	희	r ob	5	9	an(
n\$6 enc4	deo	38 c 188 c	or ta	ar5	<u>\$</u>	ect	9	<u>0</u>	tere	det	ਉ	clas		a.	ch Se	gniš	classif\$8 or register\$4 or	registration or discrimina\$ or	collat\$6) with (person or	facii	ಜ್ಞ	Вe	clas	Sas.			
agi m	ج ع	S 2	še.) ne	()	subj	user	ρ	ren	er or	ξ	348	70	13	mat	ē	egis	rdis	<u>B</u>	e or	subje	r fra	382	48.0	13)		
~ გ	¥ .	ت 9 و	o t	tting	rfa	٥	2	ecte	ego	ente	ţo	9	an (9	8 or	8 0	5	0 0	촱	fac	5	ge o	<u>n</u>	or 3	9		
ءَ ڌِ		ບທ	ശ്ശ	ge	ē	SOI	idua	(det	Ē	S	eser	clas	clas.	² 50	ntif\$	alat\$	if\$8	trati	t\$6)	ē	idua	(ima	re) a	clas.	20 20		
art\$6 or \$6 or c	er\$4)	င် ကို	.Ĕ	=	_	Ä	.≥	_	ē	亞	ā	82	ö	ad	ge	orre	lass	egis		eob	₫	₹	泵	ö	ğ		
(((start\$6 or nitat\$6 or c	trigger\$4)	track\$5 captur\$€	obtain!	get o	ğ	5	힏	₹	Ē	등	₽	က္.	Α,	(9)	=	$^{\circ}$	()	_			⊏	`⋝	∹≍	¥	(B)		
63 (((start\$6 or c initat\$6 or c	trigger\$4)	track\$5 captur\$6	obtain	get or getting) near5 (image or	pict	<u></u>	<u>E</u>	<u>×</u>	g	ᡖ	5	<u>ෆ</u>	8	<u>@</u>	=	0	ပ	=	0	<u> </u>	<u>.</u> <u> </u>	`₹	<u>.g</u>	8	@ad<20001013)		
63 (((start\$6 or begin\$6 or initat\$6 or commenc\$6 or	trigger\$4)	track\$5 captur\$6	obtain	geto	pict _t	<u>o</u>	<u>ii</u>	¥	đ	e e	<u>8</u>	<u>ව</u>	<u>ਲ</u>	<u>(a)</u>	<u> </u>	0	<u>o</u>	=	0		<u>.</u> <u> </u>	`₹	<u>ĕ</u>	8	8	 	
63 (((start\$6 or initat\$6 or c	trigger\$4)	track\$5 captur\$€	obtain	geto	pict _t	<u> </u>	<u>ii</u>	wi	de	<u>e</u>	<u>ō</u>	<u>ව</u>	<u>ਲ</u>	<u>(a)</u>	<u> </u>	0	<u>u</u>		0	<u>a</u>	Ë	<u>×</u>	<u>.</u>	8	0		
63 (((start\$6 or pinitat\$6 or c	trigger\$4)	track\$5 captur\$6	obtain	geto	pict	<u>o</u>	<u>Fi</u>	Wit	de	eu	<u>o</u>	<u>ප</u>	<u>ਲ</u>	<u></u>	<u> </u>	0	O	<u> </u>	0	<u>a</u>	<u>.</u> <u>=</u>	<u>**</u>	<u>p</u>	8	0		

INT;	
us EPO; JPO; DERWENT; us EPO; JPO; DERWENT; us ce ce ce ce ce ce co	
several or sequence or series or plurality) near3 (image or frame)) same (time or trame)) same (time or trame)) same (time or trame)) same (object or person or subject or individua or face or faciall) same ((compar\$6 or match\$6 or register\$6 or registered or database or data?base or filed or recorded or previous or prior or recent\$3 or archiv\$6 or template or known)) and (((object or person or subject or individual or motion or face or facial) near3 (detect\$5 or track\$5)) and (382.clas. or 348.clas. or 340.clas.))) and @ad<2001013) and ((identif\$8 or match\$6 or correlat\$8 or register\$4 or registration or discrimina\$ or collat\$6) with (person or people or face or facial or individual or subject or object) with (image or frame or picture) and (382.clas. or 340.clas. or 340.clas. or 340.clas. or 340.clas. or 340.clas.) and @ad<20001013)	
· · · · · · · · · · · · · · · · · · ·	

																							-																
USPAT; US-PGPUB; EPO; JPO; DERWENT;	IBM_TDB	1																			-										,								USPAT
2 (((((mulitple or many or several or sequence or series		frame)) same (time or	temporal))) same (object or	and individual or an individual	or foce or facially same	or race or racially same	((compar\$6 or match\$6 or	register\$6 or registration) with	(stored or registered or	database or data?base or filed	or recorded or previous or	prior or recent\$3 or archiv\$6	or template or known)) and	(((object or person or subject	or individual or motion or face	or facial) near3 (detect\$5 or	track\$5)) and (382.clas. or	348.clas. or 340.clas.))) and	@ad<20001013) and	((identif\$8 or match\$6 or	correlat\$8 or recogni\$8 or	classif\$8 or register\$4 or	registration or discrimina\$ or	collat\$6) with (person or	people or face or facial or	individual or subject or object)	with (image or frame or	picture) and (382.clas. or	340.clas. or 348.clas.) and	@ad<20001013) and	(((start\$6 or begin\$6 or	initat\$6 or commenc\$6 or	trigger\$4) with (video or	track\$5 or ((record\$6 or	captur\$6 or acqui\$8 or	obtain\$6 or take or taking or	get or getting) near5 (image or	picture or frame))) with (object	=

NEW TO THE TOTAL THE TOTAL TO T	
JERW JERW	
USPAT, US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	
o ce to ce led ith ith ith	
or fairly serious and on the serious and on the serious when the configuration of the serious and subject of the serious and subject of the serious and or fairly subject of the serious and or fairly subject on the serious and serious	
nany o 3 (ima 3 (ima ne or ne or to ri 12 pass same atch \$ 12 pass or ar or ar ar or ar ar ar ar ar or ar	
eque (tir mear near near near near near near near n	
ulitple al or : railty)) sar railty))) sar railty))) sar railty))) sar railty))) sar railty)) sar railty) sar railty railty railty railty plate et or rividual railty railty plate (1882.cl or vividual) railty rail	
several or many or several or sequence or series several or sequence or series EPO or plurality) near3 (image or frame)) same (time or temporal))) same (object or person or subject or individual or face or facial) same ((compar\$6 or match\$6 or register\$6 or registered or register\$6 or registered or database or data?base or filed or recorded or previous or prior or recent\$3 or archiv\$6 or template or known)) and (((object or person or subject or individual or motion or face or facial) near3 (detect\$5)) and (382.clas. or 348.clas. or 340.clas.))) and @ad<20001013	
2	

the state of the s	- 1
	,
	(,
	-
	1
	1
	_
	İ
قَ قُ	
ο.	
그 산	
USPAT; US-PGPUB	
a v a a a a a a a a a a a a a a a a	40
222-24-6-6-6-6-6-6-6-6-6-6-6-6-6-6-6-6-6	<u> </u>
S-6012 S-6012	920
U 100 20 20 20 20 20 20 20 20 20 20 20 20 2	6
2. 5	SI
25 2 3 3 2 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	ŏ
5-5878154-\$ or US-590808-\$ or US-5923367-\$ or US-5923367-\$ or US-592346422-\$ 35530-\$ or US-5982945-\$ 125-5963653-\$ or US-5982945-\$ 125-5989877-\$ or US-5989847-\$ 125-5989877-\$ or US-6259805-\$ 125-63989-\$ or US-6252875-\$ 125-63989-\$ or US-6389181-\$ 125-6347150-\$ or US-6389181-\$ 125-6347150-\$ or US-6389181-\$ 125-6347150-\$ or US-6389181-\$ 125-63969-\$ or US-6549667-\$ 16632-\$ or US-654067-\$ 16632-\$ or US-654067-\$ 16635-\$ or US-654067-\$ 16635-\$ or US-654067-\$ 16635-\$ or US-654067-\$ 16734-\$ or US-654067-\$ 16734-\$ or US-6554067-\$ 16734-\$ or US-6554067-\$ 16734-\$ or US-6554067-\$ 16734-\$ or US-6554067-\$ 16734-\$ or US-62221-\$ 16734-\$ or US-62221-\$ 16734-\$ or US-62221-\$ 16734-\$ or US-6238465-\$ 16745-\$ or US-5638465-\$ 16763-\$ or US-6638868080808080808080808080808080808080	8
(US-5878154-\$ or US-5890808-\$ or US-5923367-\$ or US-5923367-\$ or US-592346422-\$ or US-5923367-\$ or US-5933530-\$ or US-5982945-\$ or US-5982930-\$ or US-5982930-\$ or US-5982930-\$ or US-5983977-\$ or US-5989877-\$ or US-6292875-\$ or US-6293089-\$ or US-6292875-\$ or US-6293089-\$ or US-6292875-\$ or US-6298061-\$ or US-639696-\$ or US-6498861-\$ or US-639696-\$ or US-6498861-\$ or US-639696-\$ or US-6498861-\$ or US-6498861-\$ or US-6661932-\$ or US-6498861-\$ or US-654920-\$ or US-5222156-\$ or US-5222156-\$ or US-539647-\$ or US-539647-\$ or US-539687-\$ or US-5993345-\$ or US-5993465-\$ or US-5993345-\$ or US-5838828-\$ or US-58388828-\$ or US-5838	076
64 (US-5878154-\$ or US-5890808-\$ or US-5990246-\$ or US-5923367-\$ or US-5946422-\$ or US-592367-\$ or US-5946422-\$ or US-5963653-\$ or US-5982945-\$ or US-598367-\$ or US-6154559-\$ or US-5989877-\$ or US-6154559-\$ or US-6398977-\$ or US-6389181-\$ or US-63089-\$ or US-6389181-\$ or US-63089-\$ or US-6389181-\$ or US-63089-\$ or US-6389181-\$ or US-638963-\$ or US-6389181-\$ or US-638963-\$ or US-6498861-\$ or US-6389695-\$ or US-6654067-\$ or US-654211-\$ or US-6654067-\$ or US-65421-\$ or US-6554067-\$ or US-65420-\$ or US-654067-\$ or US-57384-\$ or US-654067-\$ or US-57384-\$ or US-6724915-\$ or US-54784-\$ or US-6724915-\$ or US-5406501-\$ or US-6738465-\$ or US-574591-\$ or US-6389171-\$ or US-5838828-\$ or US-6388465-\$ or US-5774591-\$ or US-5838465-\$ or US-5774591-\$ or US-5838465-\$ or US-5774591-\$ or US-6838465-\$ or US-5774591-\$ or US-6838465-\$ or US-5774591-\$ or US-6838828-\$ or US-5838828-\$ or US-6838465-\$ or US-5838828-\$ or US-6838811-\$ or US-5838828-\$ or US-6838811-\$ or US-5838828-\$ or US-6838811-\$ or US-5838828-\$ or US-6838811-\$ or US-68108-\$ or US-6818411-\$ or US-5838828-\$ or US-6818411-\$ or US-681848-\$ or US-6818411-\$ or US-681848-\$ or US-6818411-\$ or US-68188-\$ or US-681841-\$	147
d	1

EPO; JPO; DERWENT;
<u> </u>
person or subject or individua or face or faciall) same ((compar\$6 or match\$6 or

EPO; JPO; DERWENT; IBM_TDB	USPAT; US-PGPUB
689688-\$ or US-5901246-\$ or US-5923367-\$ or US-5904422-\$ or US-593367-\$ or US-5946422-\$ or US-5963653-\$ or US-5946422-\$ or US-5963653-\$ or US-5982945-\$ or US-5999877-\$ or US-6982945-\$ or US-63989877-\$ or US-6292675-\$ or US-639898-\$ or US-6292675-\$ or US-63089-\$ or US-6398861-\$ or US-630788-\$ or US-6398861-\$ or US-6347150-\$ or US-6389181-\$ or US-6347150-\$ or US-6389181-\$ or US-6347150-\$ or US-6389181-\$ or US-6396963-\$ or US-6498861-\$ or US-654067-\$ or US-654067-\$ or US-654920-\$ or US-6754389-\$ or US-57134-\$ or US-6754389-\$ or US-57134-\$ or US-5722156-\$ or US-57134-\$ or US-5724915-\$ or US-571394-\$ or US-5738465-\$ or US-5774591-\$ or US-5638465-\$ or US-5838828-\$ or US-5838465-\$ or US-5838828-\$ or	

7 ((((mutuigle or senies (EPO, LB)). 7 ((((mutuigle or senies (EPO, LB)). 7 (((compada or registration) with ((stored or registration) with (stored or registration) with ((stored or registration) with ((stored or registration) with ((stored or registration) with (stored or registration) wit		•
((idmultiply near3 (image or series EPO, IDP). DERWENT. Thermol) same (night or learn) same (night or recorded or previous or registered or registered or registered or negistered or subject or negistered or negistered or negistered or subject or negistered or negistered or negistered or subject or negistered or negistered or subject or negistered or negistered or learned (last) and (last) an		,
(Wildling or many or a lossArt; US-PGPUB; several or sequence or series EPO_UPO; DERWENT: or plurality) nead (image or leM_TDB temporal)) same (time or temporal)) same (time or person or subject or individual or face or facial) same (comparás or matchis or registrated or registrated or registrated or database or data') base or filed or recents or activis or recents or activis or or tenents or activis or or tenents or activis or or tenents or activis or or individual or motion or face or individual or motion or subject or face		
((((((((((((((((((((((((((((((((((((
According to many or USPAT, US-PCPUB;		
several or namy or USPAT; US-PGPUB; several or sequence or series or plurally) sane (inne or framen) same (inne or temporal)) sane (inne or temporal)) sane (inne or temporal)) sane (inne or temporal)) sane (inne or temporal) same (inne or database or registration) with (stored or upsings or activities or fracial) near3 (detect\$5)) and (382.das or 348.das or 348.das or 18.567.334.\$ or US-613459.\$ or US-675134.\$ or US-613459.\$ or US-6292575.\$ or US-613459.\$ or US- 20020028021.\$, did or (US-		
several or sequence or series several or sequence or series several or sequence or series frame) same (time or temporal) series (belged or person or subject or individual or face or facial) same ((comparâs or match\$6 or match\$6 or match\$6 or match\$6 or or respisered or database or filed or respisered or or subject or person or subject or respisered or person or subject or remained or preson or subject or remained or motion or face or facial) neard (declar, or subject or rindividual or motion or face or facial) mand (((complex or person or subject or rindividual or motion or face or facial) mand (((u.S. 626.545.53.4.5.) and (320.cias. or 436.cias. or 340.cias.) mand (((u.S. 6226961.5. or U.S. 67253.54.5.) or U.S. 6226961.5. or U.S. 622327.5.5. or U.S. 62250028021.5), did. or (U.S. 62250228021.5), did.)		
7 ((((muliple or many or several or sequence or series EPO, JPO, DERWENT; or putrally) nead (inger or lam.) same (inter or lemporally) same (object or person or subject or individual or face or facial) same (inter or series for match\$6 or registered or registered or registered or registered or or entitives or		
7 (((((mulitple or many or several or sequence or series EPO; JPO; DERWENT; or plurally) near of (mage or IBM_TDB frame)) same (biped or person or subject or individual or face or facial) same (biped or person or subject or individual or registered or egistered or egistered or egistered or egistered or or subject or person or subject or person or subject or person or subject or person or subject or facial) near3 (defectSS)) and (32c.das. or 348.clas. or 348.clas.) and ((US-6259001013) and ((US-6259001013) and ((US-625900113) and (US-62590113) and (US-62590114) and (US-6290114) a		
7 ((((multiple or many or uSPAT; US-PGPUB; several or sequence or series EPO; JPO; DERWENT; or puturility) near (object or perponal) same (time or person or subject or individual or face or facial) same ((coparafé or matchs) or matchs) or registend or registend or registend or registend or registend or or terplate or to previous or terplate or to previous or prior or recorded or previous or prior or recent\$3 or archiv\$6 or terplate or motion or face or facial) near3 (detect\$5)) and ((s)2c clas. or 348 clas. or 434 clas.) and ((US-6242001013 and (US-62520515.\$\$ or US-6327381.\$), did. or (US-625905.\$\$ or US-6327381.\$), did. or (US-625905.\$\$ or US-6327381.\$), did. or (US-620002028021.\$), did.)		
((((mulitple or many or USPAT: US-PGPUB: several or sequence or serior or sequence or serior or plurality) near3 (image or trame)) same (time or temporal)) same (object or person or subject or individual or face or facial) same (object or person or subject or individual or recorded or presistend or database or fala? base or filed or recorded or previous or prior or recorded or face or facial) and ((US-dead-spoot)013 and (QS-clas. or 348.clas. or 348.clas. or 348.clas. or US-6751334.\$ or US-675334.\$, oid or (US-6751334.\$ or US-675334.\$, oid or (US-67500020201-\$) did.)		
(((((muliple or many or musy or geveral or sequence or series EPO; JPO; DERWENT; or plurally) neard (image or plurally) neard (image or temporal)) same (time or temporal)) same (time or temporal)) same (object or person or subject or individual or face or registered or registered or registered or or recorded or previous or prior or recents or encorded or previous or prior or recents or activity or individual or motion or face or facial) neard (detects)) and (382 clas. or 348 clas. or face) or facial) neard (detects) and (382 clas. or US-6751384\$ or US-675138-\$ or US-629575-\$ or US-675380-\$ or US-6292575-\$ or US-675380-\$ or US-629805-\$ or US-675380-\$ or US-675805-\$ or US-675180-\$ or US-675805-\$ or US-67580-\$ or US-		
((((mulitple or many or several or sequence or series Bey J.PO; DERWENT; or pluruality) near3 (image or temporal)) same (time or temporal)) same (blject or person or subject or individual or face or facial) same (compar\$6 or match\$6 or registration) with (stored or person or subject or recorded or previous or prior or recent\$3 or archiv&6 or femplate or known)) and ((lobject or person or subject or individual or motion or face or facial) near3 (detect\$5)) and (32 clas.)) and ((US-69861-\$6. or US-67534-\$6. or US-6292675-\$6. or US-629065-\$6. or US-6292675-\$6. or US-6292675-\$6. or US-629065-\$6. or US-6292675-\$6. or US-629065-\$6. or US-629675-\$6. or US-629065-\$6. or US-629065-\$6. or US-629065-\$6. or US-629065-\$6. or US-629065-\$6. or US-6292675-\$6. or US-629065-\$6. or US-6292675-\$6. or US-629065-\$6. or US-6292675-\$6. or US-6292675-\$6. or US-6292675-\$6. or US-6292675-\$6. or US-6292675-\$6. or US-629065-\$6. or US-6292675-\$6.		
((((mulitiple or many or several or sequence or series EPO; US-PGPUB; several or sequence or series EPO; US-PGPUB; or purality) near3 (image or framae) same (time or temporal))) same (object or person or subject or individual or face or facial) same (compar86 or match86 or registered or recorded or previous or recorded or previous or prior or recent\$3 or archiv\$6 or person or subject or individual or motion or face or facial) near3 (detect\$5)) and (382 clas. or 348 clas. or 340 clas.))) and (382 clas. or US-6751354-\$) or US-6751354-\$ or US-6154559-\$ or US-6292575-\$ or US-6327381-\$), did. or (US-20020028021-\$), did. or (US-6292575-\$)		
// ((((mulitple or many or series provide) is several or sequence of series provided in the correct of trainer) has af (image or temporally) same (object or person or subject or individual or face or facial) same ((Compar\$6 or match\$6 or register\$6 or registered or data*) base or filed or recorded or previous or prior or recent\$3 or archiv\$6 or template or known) and (((object or person or subject or individual or motion of face or facial) near3 (detect\$5)) and (32.clas. or 348.clas. or 340.clas.))) and (32.clas. or 348.clas. or 340.clas.))) and (32.clas. or 348.clas. or 340.clas.)) and (32.clas. or 0.48.cf351.54-\$ or US-\$154559.\$ or US-\$2020028021-\$), did. or (US-\$2020028021-\$), did. or (US-\$2020028021-\$).		
((((mulitple or many or series several or sequence or series several or sequence or series several or sequence or series fero, JPO; DERWENT; or plurality) hear3 (image or frame)) same (time or temporal))) same (object or person or subject or individual or face or facial) same ((compar\$6 or match\$6 or register\$6 or register\$6 or match\$6 or register\$6 or register\$6 or register\$6 or resorded or previous or prior or recent\$3 or archiv\$6 or template or known)) and or recorded or person or subject or individual or motion or face or facial) near3 (detect\$5)) and ((lobject or person or subject or individual or motion or face or facial) near3 (detect\$5)) and ((lobject or person or subject or individual or motion or face or facial) near3 (detect\$5)) and ((lobject or person or subject or individual or motion or face or facial) near3 (detect\$5)) and ((lobject or person or subject or individual or motion or face or facial) near3 (detect\$5) and ((lobject or lobject) and ((lobject or lobject)) and ((lobject or lobject)) and ((lobject or lobject)) and ((lobject or lobject)) and ((lobject)) and ((lobje		
weveral or sequence or series provides, several or sequence or series or plurality) near3 (image or frame)) same (time or temporal)) same (object or person or subject or individual or face or facial) same (ime or registered or match\$\$ or registered or match\$\$ or registered or previous or prior or recent\$3 or archiv\$\$6 or template or known)) and (if(object or person or subject or individual or motion or face or facial) near3 (detect\$\$5)) and (if(object or person or subject or individual or motion or face or facial) near3 (detect\$\$5)) and (382.clas. or 348.clas. or 348.clas. or 340.clas.)) and (325.clas. or US-6751354-\$\$6 or US-6327381-\$\$5.did. or (US-20020028021-\$\$).did.)		
WEPAT; US-PGPU several or sequence or series or plurality) near3 (image or frame)) same (time or temporal))) same (object or person or subject or individual or face or facial) same ((compar\$6 or match\$6 or registered or registered or registered or or recorded or previous or prior or recent\$3 or archiv\$6 or template or known)) and ((sobject or person or subject or individual or motion or face or facial) near3 (detect\$5)) and ((lobject or person or subject or individual or motion or face or facial) near3 (detect\$5)) and ((lobject or person or subject or individual or US-6751354-\$ or US-6751354-\$ or US-6751354-\$ or US-6751354-\$ or US-6751354-\$ or US-6751354-\$ or US-6292575-\$ or US	10 10 10 10 10 10 10 10 10 10 10 10 10 1	
Several or sequence or series several or sequence or series or plurality) near3 (image or frame)) same (time or frame)) same (time or frame)) same (object or person or subject or individual or face or facial) same (ocompar\$6 or match\$6 or registered or registered or registered or recorded or previous or prior or recent\$3 or archiv\$6 or template or known)) and ((cohject or person or subject or individual or motion or face or facial) near3 (detect\$5)) and ((lobject or person or subject or individual or motion or face or facial) near3 (detect\$5)) and ((lobject or person or subject or individual or motion or face or facial) near3 (detect\$5)) and ((lobject or person or subject or individual or motion or face or facial) near3 (detect\$5)) and ((lobject or person or subject or individual or motion or face or facial) near3 (detect\$5)) and ((lobject or person or subject or individual or motion or face or facial) near3 (detect\$5)) and ((lobject or person or subject or individual or motion or face or facial) near3 (detect\$5)) and ((lobject or lobject o	RWE .	
several or sequence or series or plurality) near3 (image or purality) near3 (image or trame)) same (time or temporal)) same (time or person or subject or individual or face or facial) same ((compar& or match& or register& or match& or register& or database or data?base or filed or recorded or previous or prior or recent\$3 or archiv& or template or known)) and ((lobject or person or subject or individual or motion or face or facial) near3 (detect\$5)) and (382.clas. or 348.clas. or 340.clas.))) and (382.clas. or US-6751354-\$ or US-6759805-\$ or US-6259805-\$ or US-62592575-\$ or US-62592575-\$ or US-6259805-\$ or US-62592575-\$ or US-6259805-\$ or US-62592575-\$ or US-	O. DE	
Several or sequence or series everal or sequence or series ePO; or plurality) near3 (image or frame)) same (time or trame)) same (topiect or person or subject or individual or face or facial) same (object or person or subject or individual or register\$6 or registration) with (stored or register\$6 or registrate or database or data?base or filed or recorded or previous or prior or recorded or previous or 348.clas. or 48.6clas. or 340.clas.))) and ((US-6498861-\$\$ or US-6751354-\$\$ or US-6154559-\$\$ or US-6259805-\$\$ or US-6292575-\$\$ or US-6259805-\$\$ or US-629805-\$\$ or US	U G G G G G G G G G G G G G G G G G G G	
7 ((((mulitple or many or several or sequence or series E or plurality) near3 (image or frame)) same (time or temporal)) same (time or temporal)) same (time or temporal)) same (object or person or subject or individual or face or facial) same ((compar\$6 or match\$6 or register\$6 or registered or database or data?base or filed or recorded or previous or prior or recorded or previous or 1409/ecc or facial) near3 (detect\$5)) and (382.clas. or 348.clas. or 340.clas.))) and (382.clas. or US-6751354-\$ or US-629806-\$ or US-6751354-\$ or US-629805-\$ or US-6259805-\$ or US-6259805-\$ or US-62592575-\$ or US-629805-\$ or US-6292575-\$ or US-629805-\$ or US-6292575-\$ or US-629805-\$ or US-6292575-\$ or US-6329805-\$ or US-6292575-\$ or US-6329805-\$ or US-632027381-\$).did.)	SPA N T N	
7 (((((mulitple or many or several or sequence or serie or plurality) near3 (image or frame)) same (time or trame)) same (time or trame)) same (object or person or subject or individuo or face or facial) same ((compar\$6 or match\$6 or register\$6 or registeration) wit (stored or registered or database or data?base or file or recorded or prior or recent\$3 or archiv\$6 or template or known)) and (((object or person or subject or individual or motion or face or facial)) near3 (detect\$5)) and (382.clas. or 348.clas. or 340.clas.)) and (382.clas. or 348.clas. or US-6751354.\$ or US-6751354.\$ or US-6751354.\$ or US-6292575-\$		
7 ((((mulitple or many or several or sequence or sor plurality) near3 (imaga frame)) same (time or temporal)) same (time or temporal)) same (object person or subject or indior face or facial) same ((compar\$6 or match\$6 register\$6 or registered or database or data?base or recorded or previous or recorded or previous or facial) near3 (detect\$3 or template or known)) and ((object or person or su or individual or motion or facial) near3 (detect\$3 and (382.clas. or 348.clas.da 340.clas.))) and (adad (2002002805-\$ or US-62925 or US-62925 or US-62925 or US-62925 or US-62925) or US-62925 or US-62926 or US-639861-\$).did.)	serie e or t t or vidu; vidu; or file	
7 (((((mulitple or many several or sequence or plurality) near3 (in frame)) same (time temporal))) same (to person or subject or or face or facial) same ((compar\$6 or matc) register\$6 or recort\$3 or or template or know (((object or person or individual or motito or facial) near3 (det\$and ((object or person or individual or motito or facial) near3 (det\$and ((object or person or individual or motito or facial) near3 (det\$and ((object or person or individual or motito or facial) near3 (det\$and ((object or person or facial)) and ((object or person or individual or motito or facial) near3 (det\$and ((object or person or facial)) and ((object or fac	wage or sor sor sor sor sor sor sor sor sor	
7 ((((mulitple or reseveral or several or several or seque or plurality) nea frame)) same (temporal)) same person or subje or face or facial ((compar\$6 or register\$6 or r	nany (irime ence to or	
7 (((((mulitple several or several or several or s or plurality) frame)) san temporal))) person or s or face or fa ((compar\$6 (stored or register\$6 or template or individua or facial) ne and (382.ci 340.clas.))) @ad<2000 6498861-\$, or US-6154 6259861-\$, or US-6327 200200280;	in the second of	
7 ((((mu several or plura frame)) tempor person or face ((comp register (stored databaa or reco prior or or temp or facia and (38 340.cla 340.cla or US-6 649886 or US-6 07 US	ilipple (or s and s)))) or s and s)))) or s and s)))) or s and s)))) or s are see or rece ved in the received or recei	
	((mu) veral veral plure rson face omp omp or	
	·	

`

1

	:
·	
RWENT;	
USPAT, US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	
((((mulitple or many or several or sequence or series or plurality) near3 (image or frame)) same (time or temporal))) same (time or temporal))) same (object or person or subject or individual or face or facial) same (compar\$6 or match\$6 or register\$6 or register\$6 or registered or database or data?base or filed or recorded or previous or prior or recent\$3 or archiv\$6 or template or known)) and (((object or person or subject or individual or motion or face or facial) near3 (detect\$5)) and ((abject or person or subject or facial) near3 (detect\$5)) and (add-20001013 and ((start\$6 or begin\$6 or initat\$6 or commenc\$6) with (captur\$6 or determined or or tetered or determined or entered or enters or enter or determines or enter or determines or present or found)) and (382.clas. or 348.clas. or 340.clas.) and (add-20001013) and	
or many o equence o equence o near3 (ime or near3 (ime or near3 (ime or same (objical)) same (objical) same or match\$ or match\$ or match\$ or registrati in registrati or registrated or or previou or known); or known); or known); or known); or known); or known or known); or initat\$6 (or initat\$6 (or initat\$6 (or entered or location or entered o	į
((((mulitple everal or s r plurality)))) ame)) san ame)) san ame)) san san erson or s erson or s r face or fa (compar\$6 egister\$6 c egister\$7 c egister\$7 c egister\$6 c egister\$7 c egiste	
であるののでは、	

	·			
USPAT, US-PGPUB; EPO, JPO; DERWENT; IBM_TDB		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	
(((((mulitple or many or several or sequence or series or plurality) near3 (image or frame)) same (time or	temporal))) same (object or person or subject or individual or face or facial) same ((compar\$6 or match\$6 or register\$6 or registration) with (stored or registered or database or data?base or filed or recorded or previous or prior or recent\$3 or archiv\$6 or template or known)) and ((382.clas. or 340.clas.))) and @ad<20001013 and (((start\$6 or begin\$6 or initat\$6 or commenc\$6) with (captur\$6 or acqui\$8 or obtain\$6 or take or taking or get or getting) with (object or person or subject or individual or user or customer) with (detected or located or determined or entered or enters or enter or determines or present or found)) and (382.clas. or 348.clas. or 340.clas.) and @ad<20001013) and (@ad<20001013) and (@ad<20001013) and		(standard adj image) and 20020044691.pn.	

	Ľ
USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
USPAT; US-PGPUB; EPO; JPO; DERWEN IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWEN IBM_TDB	RW RW
S-P. S-P. S-P. S-P. S-P. S-P. S-P. S-P.	S-Po
	n o Bo
USPAT; US-PGPUB; EPO; JPO; DERWEN IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWEN IBM_TDB	USPAT; US-PGPUB; EPO; JPO; DERWEN IBM_TDB
USI USI	BN B
	or Get 6 life in all
	ser ser ct or ct or livid livid or for fa and lubje or fas.
	y or mage or mage or mage or mage or mage or or including the policy of the policy of the policy or section or
Ë	nan, sence encore (a) (a) (a) (b) (a) (b) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c
.	oor neadunes (t equipeequipeequipeequipee (t equipeequ
969 ud :	tple or search (1)); sarry); s
2 20020196976.pn. 2 6636635.pn.	mulli real - cor cor cor cor cor cor cor cor cor cor
2 200201969 2 6636635.pn.	(((c) paragraphs) ((c) paragraphs) (c) paragraphs (
2 26	Several or sequence or series several or sequence or series EPC or plurality) near3 (image or frame)) same (time or temporal)) same (time or temporal)) same (bject or person or subject or individual or face or facial) same ((compar\$6 or match\$6 or register\$6 or registered or database or data?base or filed or recorded or previous or prior or recent\$3 or archiv\$6 or template or known)) and (((object or person or subject or individual or motion or face or facial) near3 (detect\$5)) and (382.clas. or 348.clas. or 340.clas.))) and @ad<20001013
	_

	:
.h	
354-\$ or US-5638465-\$ 5-5774591-\$ or US- 220-\$ or US-583828-\$ or US- 108-\$ or US-5878151-\$ 108-\$ or US-5878151-\$ 108-\$ or US-5878154-\$ or US- 590-\$ or US-5901246-\$ 5-5923367-\$ or US- 590-\$ or US-5928245-\$ 5-599877-\$ or US- 6259805-\$ or US-698861-\$ 5-6307888-\$ or US- 6307888-\$ or US- 6456328-\$ or US- 650412-\$ or US- 6456328-\$ or US- 6661932-\$ or US- 6661932-\$ or US- 667-\$ or US- 667-\$ or US- 677-\$ or US-	
44591.6. 44591.6. 4591	
6751354-\$ or US-5638465-\$ or US-5774591-\$ or US- 5802220-\$ or US-5809171-\$ or US-583828-\$ or US- 5875108-\$ or US-5878151-\$ or US-5878154-\$ or US- 5890808-\$ or US-5901246-\$ or US-5923367-\$ or US- 5933530-\$ or US-5946422-\$ or US-596385-\$ or US- 5982930-\$ or US-5982945-\$ or US-5989877-\$ or US- 6118475-\$ or US-6154559-\$ or US-63089-\$ or US-632575-\$ or US-63089-\$ or US-632575-\$ or US-63089-\$ or US-6363635-\$ or US-6307888-\$ or US- 6389072-\$).did. or (US- 6389072-\$).did. or (US- 6389072-\$).did. or (US- 6389072-\$).did. or US- 6389072-\$ or US- 6389072-\$ or US- 6389072-\$ or US- 6396963-\$ or US-6389181-\$ or US-6561932-\$ or US- 6724915-\$ or US-6887386-\$ or US-661932-\$ or US- 5133601-\$ or US-5159647-\$ or US-5204734-\$ or US- 5222156-\$ or US-520867-\$ or US-5204734-\$ or US- 5222156-\$ or US-5406501-\$ or US-5415-\$ or US-5406501-\$	
<u>~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ </u>	

USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
several or sequence or series or plurality) near3 (image or frame)) same (time or temporal)) same (time or temporal)) same (time or temporal)) same (time or temporal)) same (tompar\$6 or match\$6 or register\$6 or usenious or prior or recorded or previous or prior or record\$3 or archiv\$6 or template or known)) and ((382.clas. or 348.clas. or 340.clas.))) and ((382.clas. or 348.clas. or US-5638455.\$ or US-5638455.\$ or US-5638828.\$ or US-583828.\$ or US-583828.\$ or US-5803829.\$ or US-59033530.\$ or US-5946422.\$ or US-5946422.\$ or US-5963653.\$ or US-5983937.\$ or US-5982945.\$ or US-6259805.\$ or US-6259805.\$ or US-6259805.\$ or US-6253089.\$ or US-6250890.\$ or US-6253089.\$ or US-6253089.\$ or US-6253089.\$ or US-6250890.\$ or US-6253089.\$ or US-6253089.\$ or US-6253089.\$ or US-6250890.\$ or US-6258089.\$ or US-62	or US0364211-\$ or US- 5 visionics\$18.as.

																		-	-																		
USPAT; US-PGPUB													-								,												_				
59 (US-6754389-\$ or US-	6751354-\$ or US-5638465-\$	or US-5774591-\$ or US-	5802220-\$ or US-5809171-\$	or US-5838828-\$ or US-	5875108-\$ or US-5878151-\$	or US-5878154-\$ or US-	5890808-\$ or US-5901246-\$	or US-5923367-\$ or US-	5933530-\$ or US-5946422-\$	or US-5963653-\$ or US-	5982930-\$ or US-5982945-\$	or US-5999877-\$ or US-	6118475-\$ or US-6154559-\$	or US-6259805-\$ or US-	6263089-\$ or US-6292575-\$	or US-6307888-\$ or US-	6389072-\$).did. or (US-	6347150-\$ or US-6327381-\$	or US-6327374-\$ or US-	6654067-\$ or US-6636635-\$	or US-6606412-\$ or US-	6584211-\$ or US-6498861-\$	or US-6456328-\$ or US-	6396963-\$ or US-6389181-\$	or US-6724920-\$ or US-	6724915-\$ or US-6687386-\$	3958079-\$ or 11S-4168510-\$	or US-4183013-\$ or US-	4443078-\$ or US-4707698-\$	or US-4995090-\$ or US-	5133601-\$ or US-5159647-\$	or US-5204734-\$ or US-	5222156-\$ or US-5262867-\$	or US-5317394-\$).did. or (US-	5355221-\$ or US-5406501-\$	or US-5471549-\$ or US-	5493345-\$ or US-5517274-\$
99																																					

2	2 ((US-6754389-\$ or US-	USPAT; US-PGPUB			_		
_	6751354-\$ or US-5638465-\$						
	or US-5774591-\$ or US-			•			
	5802220-\$ or US-5809171-\$						
	or US-5838828-\$ or US-						
	5875108-\$ or US-5878151-\$						
	or US-5878154-\$ or US-						
	5890808-\$ or US-5901246-\$						
	or US-5923367-\$ or US-						
	5933530-\$ or US-5946422-\$				·		
	or US-5963653-\$ or US-						
•	5982930-\$ or US-5982945-\$		-				
	or US-5999877-\$ or US-						
	6118475-\$ or US-6154559-\$						
_	or US-6259805-\$ or US-						
	6263089-\$ or US-6292575-\$						
	or 115-6307888-¢ or 115-						
	C1 C2-C3C7 C3C-\$ C1 C3-						
	6569U/2-\$).aid. or (US-						
-	6347150-\$ or US-6327381-\$				-		
	or US-6327374-\$ or US-		_				
	6654067-\$ or US-6636635-\$						
	or 11S-6606412-\$ or 11S-						
	6584211-& or 115-649861-\$		•				
	0004211-# 01 00-0490001-#						
	UI US-0430520-\$ UI US-			-			
	6396963-\$ or US-6389181-\$						
	or US-6724920-\$ or US-						
-	6724915-\$ or US-6687386-\$						
	or US-6661932-\$ or US-						
	3958079-\$ or US-4168510-\$						
	or US-4183013-\$ or US-						
	4443078-\$ or US-4707698-\$						
	or 11S-4995/090-\$ or 11S-						
•	5133601-\$ or 115-5159647-\$						
	or 11S-52047-4 or 05-5159047-4						
	5222151 \$ 51 55-65857.					-	
	or 11S-5317394-\$) did or (11S-					•	
	5355221-& or 115-5406501-\$						
	0011S-5471549-\$ or 11S-				<u>-</u> .		
	5493345-\$ or US-5517274-\$						
2	5063603.pn.	USPAT: US-PGPUB:					
	_	FPO. IPO DERWENT					
		IBM TDB					
ı,	6456320 nn	USPAT: US-PGPUR:					
)		FPO DERWENT					
		IBM_TDB					

,		1			1
·					
					<u> </u>
		:			
	5	,		Ė	E
	NE PE	VE VE		NE N	VE)
	P. E.	P F		ER	G ER
	0; a	1.5. 0.0.		-Sr O :0	JS-F
5	F 9 E	F 9 E	 	D 80	J.T. L JPC TDB
USPAT	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	USPAT	USPAT: US-PGPUB; EPO: JPO; DERWENT; IBM_TDB	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
D	⊃ѿ≞			I	2 2 2
		p\$6 or end\$6 or ceas\$6 or t\$6 or desist\$6 or contin\$8 or paus\$6 or activ\$6	8-\$ 5-\$ 3-\$	(stop\$6 or end\$6 or ceas\$6 or halt\$6 or desist\$6 or discontin\$8 or paus\$6 or deactiv\$6) and ((US-5289275-\$0 u US-5283644-\$ or US-5111288-\$ or US-5095365-\$ or US-5091780-\$ or US-5091780-\$ or US-5091780-\$ or US-5980123-\$ or US-5980123-\$ or US-5980123-\$ or US-5980123-\$ or US-5880776-\$ or US-5745166-\$ \$).did.)	
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		sas or	(US-5289275-\$ or US-5283644-\$ or US-5111288-\$ or US-5095365-\$ or US-5091780-\$ or US-4458266-\$ or US-4249207-\$ or US-5969755-\$ or US-5880776-\$ or US-5880776-\$ or US-5880776-\$ or US-5969755-\$ or US-5745166-\$) did.	(stop\$6 or end\$6 or ceas\$6 or halt\$6 or desist\$6 or desist\$6 or discontin\$8 or paus\$6 or deactiv\$6) and ((US-528927\$ \$ or US-5283644\$ or US-511288-\$ or US-5091780-\$ or US-5091780-\$ or US-5091780-\$ or US-5980123-\$ or US-5980123-\$ or US-5980123-\$ or US-5880776-\$ or US-5880776-\$ or US-5825413-\$ or US-5825413-\$ or US-5825413-\$	
826 3365 3644 5166 604 755		or ce ls\$€	0 C C C C C C C C C C C C C C C C C C C	or or lasse so or lasse so or or or or lasse so or las	
"4458266" "5095365" "5283644" "5745166" "RE36041" "5969755" PN.		stop\$6 or end\$6 or ceas\$ halt\$6 or desist\$6 or discontin\$8 or paus\$6 or deactiv\$6	(US-5289275-\$ or US-511129 or US-5095365-\$ or US-5091780-\$ or US-445821 or US-4249207-\$ or US-5880176-\$ or US-5880776-\$ or US-5880776-\$ or US-58254 or US-58461-\$ or US-58254 or US-5745166-\$).did.	(stop\$6 or end\$6 or ceas halt\$6 or desist\$6 or discontin\$8 or paus\$6 or deactiv\$6) and ((US-528; \$0 or US-5283644-\$ or US-5111288-\$ or US-509536 or US-5091780-\$ or US-458266-\$ or US-458266-\$ or US-5980123-\$ or US-5980155-\$ or US-5980153-\$ or US-5980154-\$ or US-5980175-\$ or US-6980175-\$ or US-674516	
	Ę	end lesis 8 or	275- 5 or 5 or 920 920 77 077 5 or 5 or	lesis 8 or 3 and 2836 2836 1730 173	ċ
1207 780° 288° 275° 113° 776°	92.p	or c tin\$	2892 44-4 509 509 80-3 424 23-5 588 574	6 or d tin\$1 (\$6) 509 509 55-\$ 55-\$ 13-\$	00.p
249 1112 2892 3254 3807	64992.pn	stop\$6 or halt\$6 or discontin\$ deactiv\$6	836- 836- 836- 8017 8015- 8018- 8018- 8018- 8018- 8018-	(stop\$6 halt\$6 discontinuals of US-51128 or US-511128 or US-511128 or US-560 or US-596975 or US-F826 or US-F826 or US-F826 or US-F836975	3800
13 ("4249207" "445 "5091780" "5091 "5111288" "528 "5289275" "574 "5825413" "RE3 "5880776" "596 "5980123").PN.	2 51	sto dis de dis	13 (US-5289275-\$ or US-5117 5283644-\$ or US-5117 or US-5095365-\$ or U 5091780-\$ or US-4456 or US-4249207-\$ or US-5966 or US-5880776-\$ or US-5967 or US-5880776-\$ or US-682 or US-5745166-\$).did.	(std)	2 4858000.pn.
\	()	6994751	2	=	2
		666			
		<u> </u>		<u> </u>	<u> </u>

		•					
USPAT	USPAT	USPAT	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	USPAT, US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	USPAT, US-PGPUB	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
8 ("3947833" "3970841" "4175860" "4385322" "4620318" "4692806" "4706296" "4858000").PN.	50 505505.URPN. 64 5164992.URPN.	9 ("4636862" "4651289" "4752957" "4838644" "4858000" "4926491" "4930011" "4998286" "5031228").PN.	2 4697209.pn.	18 otto-ant\$8.in.	2 20020090116.pn.	12 (US-4179704-\$ or US- 5063603-\$ or US-4858000-\$ or US-5031228-\$ or US- 5283644-\$ or US-6687386-\$ or US-6404455-\$ or US- 6498861-\$ or US-6584211-\$ or US-3987244-\$).did. or (US- 20020015094-\$ or US- 20020014691-\$).did.	10 ((US-4179704-\$ or US- 5063603-\$ or US-4858000-\$ or US-5031228-\$ or US- 5283644-\$ or US-6687386-\$ or US-6404455-\$ or US- 6498861-\$ or US-6584211-\$ or US-3987244-\$).did. or (US- 20020015094-\$ or US- 20020015094-\$ or US- (switch or button)

((start or commence or begin USPAT; US-PGPUB; or initiat\$5 or acivat\$5) with (compar\$5 or acivat\$5) with (initiat\$5 or acivat\$5) wit						
	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	USPAT; US-PGPUB; EPO; JPO; DERWENT; BM_TDB	JSPAT
3 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		252 ((start or commence or begin or initiat\$5 or acivat\$5) with (compar\$5 or recogn\$6 or identif\$6) with (image or picture)) same (button or switch) and @ad<20001013	15 ((start or commence or begin or initiat\$5 or acivat\$5) with (compar\$5 or recogn\$6 or identif\$6) with (image or picture)) same (button or switch) same (station or kiosk. or atm or teller) and @ad<20001013	ig c	((start or commence or begin or initiat\$5 or acivat\$5) with (compar\$5 or recogn\$6 or identif\$6)) same (button or switch) and (382.clas. or 340.clas. or 348.clas.) and @ad<20001013	5 6154133.URPN. 3 ("5486819" "5801618" 1"5809161").PN.

	. ,							
-		= = = = = = = = = = = = = = = = = = = =						
USPAT USPAT USPAT; US-PGPUB; EPO; JPO; DERWENT;	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	USPAT	USPAT				
0 (6314407.URPN. 15 ("3893094" "3921160" "4389257" "5408210" "5475369" "5572202" "5603054" "5656995" "5828294" "5931534" "5963137" "5974393" "6069655" "6111504" "6154133").PN.	(compar\$5 or recogn\$6 or identif\$6) with (person or face or facial)) same (button or switch) and (382.clas. or 340.clas. or 340.clas. or 348.clas.) and @ad<20001013	9 340/541 ccls. and 382 clas.	863 340/541.ccls. and @ad<20001013	70 340/541.ccls. and 348.clas.	70 340/541.ccls. and 348.clas.and 348.clas.	38 340/541.ccls. and 348.clas. and @ad<20001013	101618"	5 6154133.URPN.

·		
USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	
283 ((start or commence or begin or initiat\$5 or acivat\$5) with (compar\$5 or recogn\$6 or identif\$6)) same (button or switch) and (382/118.ccls. or 382/116.ccls. or 340/5.82.ccls. or 340/5.81.ccls. or 340/5.81.ccls. or 340/5.31.ccls. or 340/5.52.ccls. or 340/5.52.ccls. or and @ad<20001013	25 ((start or commence or begin or initiat\$5 or acivat\$5) with (compar\$5 or acivat\$5) with (compar\$5 or accogn\$6 or identif\$6)) same (button or switch) and (382/118.ccls. or 382/116.ccls. or 340/5.82.ccls. or 340/5.83.ccls. or 340/5.83.ccls. or 340/5.33.ccls. or 340/5.53.ccls. or 340/5.53.ccls. or 340/5.53.ccls. or 340/825.36.ccls. or 348/152-155.clas.)	·
2882	25	•

	,	
USPAT: US-PGPUB: EPO: JPO: DERWENT; IBM_TDB	USPAT, US-PGPUB; EPO, JPO; DERWENT; IBM_TDB	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
30 ((start or commence or begin to rinitiat\$5 or acivat\$5) with (compar\$5 or recogn\$6 or identif\$6)) same (button or switch) and (382/118.ccls. or 382/116.ccls. or 340/5.82.ccls. or 340/5.82.ccls. or 340/5.83.ccls. or 340/5.53.ccls. or 340/5.53.ccls. or 340/5.52.ccls. or 340/5.52.ccls. or 340/5.52.ccls. or 155.ccls. or 340/825.36.ccls. or 340/8	8 (((face or facial) near3 U (compar\$5 or recogn\$6 or identif\$6 or authentica\$9)) Is same (atm or teller or pos or (point adj2 sale) or kiosk) and (((motion or approach or "near" or enter or entry) with (detect\$6 or sensor)) same ((record or capture) with (image or picture or video or stream or frame)))	((face or facial) near3 (compar\$5 or recogn\$6 or E identif\$6 or authentica\$8)) same (atm or teller or pos or (point adj2 sale) or kiosk)) and (((motion or approach or "near" or enter or entry) with (detect\$6 or sensor)) and ((record or capture) with (image or picture or video or stream or frame)))
©	© v	C . 2 0 0 1 3 3 5 0

212 ((start\$6 or begin\$6 or initat\$6 USPAT; US-PGPUB;	USPAT; US-PGPUB;			
r commenc\$6 or trigger\$4)	EPO; JPO; DERWENT;		 	
ith (video or track\$5 or	IBM_TDB			
record\$6 or captur\$6 or				
cqui\$8 or obtain\$6 or take or				
aking or get or getting) near5				
image or picture or frame)))				
vith (object or person or				
ubject or individual or user or				
ustomer) with (detected or				
ocated or determined or			 	
intered or enters or enter or			 	
letermines or present or				
ound)) and (382.clas. or				
48.clas. or 340.clas.) and	-		 •	
@ad<20001013				
		-		

																										7
												٠														ĺ
									•																	 _
																										ĺ
																										-
<u>;</u>	;	•																								_
W.F.	i																									
-P.G.																										
 	æ																									
USPAT; US-PGPUB; EPO: JPO: DERWENT:	IBM TDB	l																								
SH	9				_	_		_																		
				ō	ge o	bjed		mer	ŏ		nes						SS:						52-			
o 29	ö	5 or	ō	aking	(jma	₽	5	Susta	ated	ф	ermi	and	S. O.		פ		5.8.0						48/1			
in\$6 Jenc'	ideo	ord\$(ıi\$8	or ta	ear5	<u>.</u> ₹	ject	٥	50	ntere	i del	<u>ğ</u>	.clas) an		340/	5			L		01.3			
beg	€	(rec	acdr	take	g)	ame)	qns.	use	ğ	or er	tero	r fou	348	٦	013	S. 01	š. o	ccls	s. or	s. or	S.	s. or	SCIS			
900	4 ≥	٠ ٥	6 or	6 or	ettin	or fr	n or	aor	tect	ned	r en	ent o	S. 0	s.) aı	900	8.00	8	5.82	3.00	<u>8</u>	3.00	2.00	.36.	<u></u>		
start\$ at\$6	ger\$	ck\$5	otur\$	ain\$	org	ture	pers(ividu	h (de	emi	ers (ores.	12.cla).cla	3d<2	2/11	2/16	340	9/2.8	3/5.8	7/5.5	7/5.5	3/825	25.		
17 (((start\$6 or begin\$6 or USF initat\$6 or commenc\$6 or EPC	ţ	ţī	छ	Q	ge	쯢	٥	<u>=</u>	wit	ge	ent	5	89	ਲ	<u>ö</u>	89	38,	5	<u>श्</u> र	र्ष्ट	发	¥	X	15,		 _
-																										
													_							_	_					

/

	
•	
THE PARTY OF THE P	
.	
VE EE	
면 R 등	
ሲ	
D G B C	
USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	
BB P BB	•
ू हु हु हु	1
obje age object to the control of th	152
Sor Sor Sor Or Or Or Sol Sol Sol	48/ 1t
in\$6 deocape sections or coorcine deference deference deference or coorcine deference deference deference or coorcine deference or coorcine or coorcine deference or coorcine deference or coorcine deference or coorcine or coorcine deference or coorcine or coorci	or 3
handle seed of the	व हुं हुं हुं हुं हुं हुं
with with with with with with with with	cls.
(\$6 o or do	3.0 3.0 3.0 5.36 8.)
star 14% (de la constant de la const	75.5 75.5 75.5 75.5 75.5 75.5 75.5 75.5
2 ((((start\$6 or begin\$6 or initat\$6 or commenc\$6 or trigger\$4) with (video or track\$5 or ((record\$6 or captur\$6 or acqui\$8 or captur\$6 or acqui\$8 or obtain\$6 or take or taking or get or getting) near\$5 (image or picture or frame))) with (object or person or subject or individual or user or customer) with (detected or located or determined or enters or enter or determines or present or found)) and (382.clas. or 348.clas. or 340.clas.) and (382/118.ccls. or 340/5.8.ccls. or 340/5.8.ccls.	340 340 340 340 155
N	

•

,

	·		
	•		
USPAT, US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	USPAT; US-PGPUB	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	USPAT
15 (((start or commence or begin USPAT, US-PGPUB; or initiat\$5 or acivat\$5) with (compar\$5 or eccogn\$6 or identif\$6)) same (button or switch) and (382/118.ccls. or 340/5.8.ccls. or 340/5.5.ccls. or 340/5.5.ccls. or 340/825.3.ccls. or 348/152-	15 (US-5031228-\$ or US-5063603-\$ or US-6687386-\$ or US-6584211-\$ or US-6498861-\$ or US-840445-\$ or US-615413-\$ or US-4858000-\$ or US-8314407-\$ or US-4625329-\$ or US-5283644-\$).did. or (US-20020015094-\$).did.	3 ((US-5031228-\$ or US-5063603-\$ or US-6687386-\$ or US-6584211-\$ or US-6498861-\$ or US-3987244-\$ or US-6404455-\$ or US-404455-\$ or US-4858000-\$ or US-6154133-\$ or US-4825329-\$ or US-5283644-\$).did. or (US-20020044691-\$ or US-20020015094-\$).did.) and count	1 (US-5063603-\$).did.
<u>π</u>	5	8	16

	- Girage Gir Eraggi
((OS-5065605-9).did.) and	ימטייטיטייטיטייטיטיטיטיטיטיטיטיטיטיטיטי
29-11-10	IBM TDB
1/1/S-5063603-\$) did	IISDAT
. (CO-2002-9).uld.	A Land
0 ((US-5063603-\$).did.) and ((motion or movement)	USPAT; US-PGPUB; EPO: JPO: DERWENT:
	IBM_TDB
1 (US-20020015094-\$).did.	US-PGPUB
1 ((US-20020015094-\$).did.)	USPAT; US-PGPUB;
and image	EPO; JPO; DERWENT;
	IBM I UB
1 ((US-20020015094-\$).did.)	USPAT; US-PGPUB;
and (image or video)	EPO; DERWENI;
1 (US-20020015094-\$).did.	US-PGPUB
1 ((US-20020015094-\$).did.)	USPAT: US-PGPUB:
and record	EPO; JPO; DERWENT;
	IBM_TDB
1 ((US-20020015094-\$).did.)	USPAT; US-PGPUB;
and record\$5	EPO; JPO; DERWENT;
(F:F (4 FOOSFOOCOC SI IV) F	1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
((US-Z00Z0013094-5).dld.) and (ident\$8 or recogn\$8)	USPAT; US-PGPUB; EPO, JPO; DERWENT;
	IBM_TDB
1 ((US-20020015094-\$).did.)	USPAT; US-PGPUB;
and (supervi\$4)	EPO; JPO; DERWENT;
	IBW_IDB
0 6571028.pn.	US-PGPUB
2 6571028.pn.	USPAT, US-PGPUB;
	EPO; JPO; DERWENT; IBM TDB
1 (US-5063603-\$).did. and	USPAT
correi\$6	
1 (US-5063603-\$).did. and threshold	USPAT
2 606066	HEDAT, HE DONIE.
. Totoggood, pri	BDO: IPO: DERWENT:
	IBM_TDB
2 5991429.pn.	USPAT; US-PGPUB;
	EPO; JPO; DERWENT;
15 5991429.URPN.	USPAT

101	10 5991429 URPN and	USPAT		
	<20001013			
0	20020061131	USPAT		
0	0061131.pn.	USPAT		
21	_	USPAT		
	"4135147" "4300160"			
	"4521861" "4525859"			
	"4646352" "4699149"			
·	"4858000" "4876725"			
<u></u>	"4975969" "5027413"			
	"5072120" "5107117"			
7	"5163094" "5450504"			
	"5553155" "5615277"		-,-	
-			 	
15	15 5991429.URPN.	USPAT		
-	5991429-\$).did.	USPAT		
) and	IISPAT: IIS. PGPIIB:		
•		EDO: DERWENT		
	2	IBM TDB		
0	0 ((US-5991429-\$).did.) and	USPAT; US-PGPUB;		
		EPO; JPO; DERWENT:		
		IBM_TDB	 	
-		USPAT		
+	1 ((US-5063603-\$).did.) and	USPAT; US-PGPUB;		
		EPO; JPO; DERWENT;		
	•	IBM_TDB		
1	1 ((US-5063603-\$).did.) and	USPAT; US-PGPUB;		
_		EPO; JPO; DERWENT;		
1		IISPAT: IIS-PGPIIR		
•	((118" same template)	EPO: JPO: DERWENT:		
		IBM_TDB		
1	53603-\$).did.) and	USPAT; US-PGPUB;		
<u> </u>		EPO; JPO; DERWENT;		
		IBM_IDB		
0	0 20020090116.pn. and suitable USPAT; US-PGPUB;	USPAT; US-PGPUB;		
		IBM_TDB	 	
-	1 (US-20020090116-\$).did.	US-PGPUB		

.

0 ((US-20020090116-\$).did.) USPAT; US-PGPUB; and suitable					
0 ((US-20020090116-\$).did.) USPAT; US-PGPUB; and suitable IBM_TDB IBM_TDB I(US-20020090116-\$).did.) USPAT; US-PGPUB; and suit\$6 IBM_TDB IBM_TDB IBM_TDB IBM_TDB IBM_TDB					
0 ((US-20020090116-\$) did.) USPAT; US-PGPUB; and suitable EPO; JPO; DERWENT; IBM_TDB 1 ((US-20020090116-\$) did.) USPAT; US-PGPUB; and suit\$6 EPO; JPO; DERWENT;					
ol ((US-20020090116-\$).did.) USPAT; US-PGPUB; and suitable EPO; JPO; DERWENT; IBM_TDB 1 ((US-20020090116-\$).did.) USPAT; US-PGPUB; and suit\$6 IBM TDB					
0 ((US-20020090116-\$).did.) USPAT; US-PGPUB; and suitable IBM_TDB (US-20020090116-\$).did.) USPAT; US-PGPUB; and suit\$6 IBM_TDB IBM_TDB					
0 ((US-20020090116-\$).did.) USPAT; US-PGPUB; and suitable IBM_TDB (IUS-20020090116-\$).did.) USPAT; US-PGPUB; and suit\$6 (EPO; JPO; DERWENT; IBM_TDB (IBM_TDB)					
0 ((US-20020090116-\$).did.) and suitable 1 ((US-20020090116-\$).did.) and suit\$6	USPAT; US-PGPUB;	IBM_TDB	USPAT; US-PGPUB;	EPO; JPO; DERWENT;	IBM TDB
0	((US-20020090116-\$).did.)	מווס סחומסום	((US-20020090116-\$).did.)	and suit\$6	
	0		1		

patent #	type	pub date	title	class1	class2	inventor	
455 B1	USPAT	20020611	20020611 Method for tracking entering 348/169 object and apparatus for tracking and monitoring entering object	348/169	382/218; 382/219	Ito, Wataru et al.	
US 20020015094 A1	US-PGPUB	20020207 MONI	MONITORING SYSTEM AND IMAGING SYSTEM	348/143		KUWANO, YUKINORI et al.	
US 6154133 A	USPAT	20001128	20001128 Exit guard system	340/541	340/905; 348/149; 340/925; 348/149; 348/153	Ross, Donald K. et al.	
US 4179704 A	USPAT	19791218	19791218 Television system for displaying and recording paths of motion	348/579		Moore, J. Kenneth et al.	
US 5063603 A	USPAT	19911105	19911105 Dynamic method for recognizing objects and image processing system therefor	382/115	382/226; 382/228	Burt, Peter J.	
US 5283644 A	USPAT	19940201	19940201 Crime prevention monitor system	348/152	382/118	Maeno, Yoshinori	
US 20020044691 A1	US-PGPUB	20020418	20020418 OBJECT EXTRACTION METHOD, AND IMAGE SENSING APPARATUS USING THE METHOD	382/218		MATSUGU, MASAKAZU	
US 6584211 B1	USPAT	20030624	20030624 Mobile object combination detection apparatus and method	382/103	342/70; 348/25	Amemiya, Hirokazu et al.	
US 6498861 B1	USPAT	20021224	20021224 Biometric security encryption system	382/124	340/5.52	Hamid, Laurence et al.	
US 4858000 A	USPAT	19890815	19890815 Image recognition audience measurement system and method	725/12	382/115	Lu, Daozheng	•
US 5031228 A	USPAT	19910709	19910709 Image recognition system and method	382/227	382/218; 725/10; 725/12	Lu, Daozheng	
US 6687386 B1	USPAT	20040203	20040203 Object tracking method and 382/103 object tracking apparatus	382/103	382/209	Ito, Wataru et al.	

US 6314407 B1	USPAT	20011106	20011106 POS terminal unit provided 705/16 with customer approach notification function		340/286.06	Maeno, Masahiro		
US 6069655 A	USPAT	20000530	20000530 Advanced video security system	348/154		Seeley, John E. et al.		
US 6119096 A	USPAT	20000912	and method for passenger check-in arding using iris tion	705/5	235/384; 382/117; Mann, Stewart et al. 705/40	Mann, Stewart et al.		
US 4625329 A	USPAT	19861125	19861125 Position analyzer for vehicle 382/104 drivers	382/104	180/271; 359/877 Ishikawa, Hiroshi et al.	Ishikawa, Hiroshi et al.		
US 3987244 A	USPAT	19761019	19761019 Programmable image processor	348/130		Messman, Leonard Alan		
US 5991429 A	USPAT	19991123	19991123 Facial recognition system for security access and identification	382/118		Coffin, Jeffrey S. et al.		